

# Safety Data Sheet

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

---

Product Name: Easyprint Mat 301  
General Use: May be used for printing on textile  
Product Description: Water based binder of resin.  
SDS Number: US-055-MICI

### MANUFACTURER

Company Name: Matsui International Co., Inc.  
Address: 1501 West 178th Street, Gardena, CA 90248, U.S.A.  
Telephone No.: (310) 767-7812

EMERGENCY TELEPHONE NUMBER: (310) 767-7812

---

## 2. HAZARDS IDENTIFICATION COMPOSITION/INFORMATION ON INGREDIENTS

---

### CLASSIFICATION

Health hazard:

Serious eye damage/eye irritation: Category 2B

Specific target organ toxicity single exposure:

Category 1 (central nervous system, kidney, heart, respiratory organ)

Specific target organ toxicity repeated exposure:

Category 1 (central nervous system, respiratory organ, heart)

Physical hazard: Not classified.

Signal word: Danger.

Hazard statement :

Causes eye irritation.

Causes damage to organs < central nervous system, kidney, heart, respiratory organ >.

Causes damage to organs < central nervous system, respiratory organ, heart > through prolonged or repeated exposure.

Symbol:



Precautionary statements:

Prevention:

Do not breathe fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

If exposed: Call a poison center/doctor.

Get medical advice/attention if you feel unwell.

Specific treatment.

Storage:

Store locked up.

**Disposal:**

Dispose of contents/container in accordance with local/regional/national/international regulation.

**Other Hazards:**

May cause long lasting harmful effects to the aquatic life.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

No	Component(s)	CAS #	Approx. %
A	Resin	Trade secret	25~30
B	Ethylene glycol	107-21-1	<6
C	Titanium oxide		7
D	Non-hazardous ingredients and other ingredients below reportable levels		Balance

V.O.C. CONTENT:      Approx.<140g/L

---

**4. FIRST AID MEASURES**

---

**INHALATION:**

If inhale a large quantity, remove to fresh air and lie quiet. Seek medical attention as needed.

**EYE:**      Immediately flush eyes with water for at least 15 minutes. Seek medical attention as needed.

**SKIN:**      Wash with mild soap and water.

**INGESTION:**

Rinse mouth thoroughly with water. Induce vomiting if possible. Seek medical attention as needed.

**PROTECTION TO FIRST-AIDERS:**

Wear personal protective clothing and equipment.

**NOTE TO PHYSICIAN:**

Treat symptomatically.

---

**5. FIRE FIGHTING MEASURES**

---

**SUITABLE EXTINGUISHING MEDIA**

Use water, dry chemical, or CO<sub>2</sub> gas.

(This product is not combustible under normal conditions due to its aqueous property.)

**UNSUITABLE EXTINGUISHING MEDIA**

Not available.

**SPECIFIC HAZARDS ARISING FROM THE CHEMICAL**

Not available.

**SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS**

In case of fire, wear respirator.

---

**6. ACCIDENTAL RELEASE MEASURES**

---

**PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

Wear suitable personal protective equipment as needed.    Ventilate area.

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP**

For small spill, absorb with dry sand, saw dust or rag, and collect into container for disposal. Wipe the remaining up with rag.

For large spill, dike with soil, blankets or sandbags to prevent from contaminating soil and collect into container with shovel or vacuum.

Avoid releasing spilled material into rivers and/or lakes, and drains.    If material is released to public water, advice local authority.

---

## 7. HANDLING AND STORAGE

---

### PRECAUTIONS FOR SAFE HANDLING

#### Protective Measures:

Wear suitable protective equipment and clothing as needed to prevent the material from contacting skin and eyes. Use only in well-ventilated area.

#### Advice on General Occupational Hygiene:

Wash thoroughly after handling. Do not eat, drink, or smoke during work.

### CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

#### Technical Measures Storage Conditions:

Store in a cool and dark place away from direct sunlight. Avoid freezing. Keep container tightly closed.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### EXPOSURE LIMIT VALUES:

Ethylene glycol	ACGIH – TLV (STEL)	100 mg/m <sup>3</sup> (as ceiling limit)
Titanium dioxide	ACGIH – TLV (TWA)	10mg-m <sup>3</sup>
	OSHA – PEL	15mg-m <sup>3</sup> (Total dust)

### EXPOSURE CONTROLS

#### Occupational Exposure Controls:

Local exhaust ventilation or general ventilation is recommended during indoor operation.

#### Personal Protection

##### Respiratory Protection:

Not necessary under normal handling condition.

##### Hand Protection:

Wear rubber or plastic gloves.

##### Eye Protection:

Wear safety glasses or goggles.

##### Skin Protection:

Wear long pants, long sleeves, and boots when applicable.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Appearance:	White paste
Odor:	slight acrylic odor
pH:	8.0 ± 0.5
Boiling Point:	Not available.
Melting Point:	Not available.
Decomposition Temperature:	Not available.
Flash Point:	Not available.
Auto-Ignition Temperature:	Not available.
Flammability:	If this product is dry, it may be flammable.
Explosive Properties:	Not available.
Oxidizing Properties:	Not available.
Vapor Pressure:	Not available.
Specific Gravity (water = 1):	1.05 ± 0.05
Solubility Water:	Miscible.
Partition Coefficient (n-octanol/water):	Not available.
Viscosity:	70,000 ± 15,000 mPa·s
Vapor Density:	Not available.

Evaporation Rate: Not available.

---

#### 10. STABILITY AND REACTIVITY

---

REACTIVITY: No specific reactivity under normal condition.  
CHEMICAL STABILITY: Stable under normal handling and using condition.  
POSSIBILITY OF HAZARDOUS REACTION:  
None.  
CONDITIONS TO AVOID: None.  
INCOMPATIBLE MATERIALS: None.  
HAZARDOUS DECOMPOSITION PRODUCTS:  
None.

---

#### 11. TOXICOLOGICAL INFORMATION

---

Acute Toxicity: Not available.  
Eye Irritation: Causes eye irritation.  
Skin Irritation: Not available.  
Sensitization: Not available.  
Carcinogenicity: Not available.  
Reproductive and Developmental Toxicity:  
Not available.  
Specific target organ toxicity single exposure:  
Causes damage to organs (central nervous system, kidney, heart, respiratory organ).  
Specific target organ toxicity repeated exposure:  
Causes damage to organs (central nervous system, respiratory organ, heart) through prolonged or repeated exposure.

---

#### 12. ECOLOGICAL INFORMATION

---

ECOTOXICITY: Not available.  
MOBILITY: Not available.  
PERSISTENCE AND BIODEGRADABILITY:  
Not available.  
BIOACCUMULATIVE POTENTIAL: Not available.  
OTHER ADVERSE EFFECTS: Not available.

---

#### 13. DISPOSAL INFORMATION

---

Comply with all federal, state and local regulations.  
Do not dump this product into sewers, on the ground or into any body of water.

---

#### 14. TRANSPORT INFORMATION

---

##### US DEPARTMENT OF TRANSPORTATION (DOT)

Hazardous Materials: Yes.  
Hazardous Materials Description and Proper Shipping Name:  
Not applicable.  
Hazard Class or Division: Not applicable.  
Identification Number: Not applicable.  
Packing Group: Not applicable.  
Label(s) Required: Not applicable.

##### SEA TRANSPORT

IMDG

Class: Not applicable.  
Packing Group (PG): Not applicable.  
UN Number: Not applicable.  
Proper Shipping Name: Not applicable.  
Marine Pollutant: Not applicable.

AIR TRANSPORT

ICAO/IATA

Class: Not applicable.  
Packing Group (PG): Not applicable.  
UN Number: Not applicable.  
Proper Shipping Name: Not applicable.

---

15. REGULATORY INFORMATION

---

OSHA STATUS:

This product is not considered to be hazardous under 29 CFR 1910.1200.

TSCA STATUS:

All components on TSCA INVENTORY.

CERCLA REPORTABLE QUANTITY (40 CFR 117, 302):

Ethylene glycol Reportable quantity 5,000 pounds

SARA TITLE III

Section 302 (40 CFR 355) – Extremely hazardous substance:

Not applicable.

Section 311/312 (40 CFR 370) – Hazard categories:

Immediate (acute) health hazard	N
Delayed (chronic) health hazard	N
Fire hazard	N
Sudden release of pressure	N
Reactive	N

Section 313 (40 CFR 372) – Toxic chemical:

Not applicable.

CONEG – Typical Metals present in ppm:

Cadmium (Cd)	N
Hexavalent Chromium (Cr(VI))	N
Lead (Pb)	N
Mercury (Hg)	N

HMIS Ratings

Health: 1  
Flammability: 0  
Reactivity: 0  
Protection: C

(0 = Minimal, 1 = Slight, 2 = Moderate, 3 = Serious, 4 = Severe)

ENCS (Japan): Components listed.

California Proposition 65



This product can expose you to chemicals including Acrylamide, which is known to the State of California to cause cancer and defects or other reproductive harm. For more information, visit [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Please refer to any other federal, state and local regulations.

For specific questions please call to Matsui International Co., Inc. USA 3107677812.

---

16. OTHER

---

#### ABBREVIATIONS

OSHA: The Occupational Safety and Health Administration  
NTP: National Toxicology Program  
IARC: International Agency for Research on Cancer  
ACGIH: American Conference of Governmental Industrial Hygienists, Inc.  
IMDG: International Maritime Dangerous Goods  
ICAO: International Civil Aviation Organization  
IATA: International Air Transport Association  
TSCA: Toxic Substances Control Act  
CERCLA: Comprehensive Environmental Response, Compensation and Liability Act of 1980  
SARA: Superfund Amendments and Reauthorization Act of 1986  
CONEG: the Coalition of Northeastern Governors  
ENCS: Existing and New Chemical Substances

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of MATSUI INTERNATIONAL CO., INC. It relates only to the specific product designated herein, and does not relate to use in combination with any other material or in any process. MATSUI INTERNATIONAL CO., INC. assumes no legal responsibility for use of or reliance upon this information.