Issue Date: August 22, 2019

Revised Date: -----

Digiace Digital Screen Discharge White US-077-MICI

# **Safety Data Sheet**

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Digiace Digital Screen Discharge White General Use: May be used for printing on textile

Product Description: Water based ink SDS Number: US-077-MICI

MANUFACTURER

Company Name: Matsui International Co., Inc.

Address: 1501 West 178th Street, Gardena, CA 90248, U.S.A.

Telephone No.: (310) 767-7812

EMERGENCY TELEPHONE NUMBER: +1 703-741-5970 / 1-800-424-9300 CCN 203640

### 2. HAZARDS IDENTIFICATION

### **CLASSIFICATION**

Health hazard:

Serious eye damage/eye irritation: Category 2B Aspiration toxicity: Category 1

Physical hazard: Not classified.

Signal word: Danger.

Hazard statement:

Causes eye irritation.

May be fatal if swallowed and enters airways.

Symbol:





## Precautionary statements:

Prevention:

Wash thoroughly after handling.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Do NOT induce vomiting.

Storage:

Store locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulation.

Other Hazards:

Exposure to high concentration of vapor may cause nausea, headache and dizziness.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

This product is not considered to be hazardous under OSHA's Communication Standard.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

No	Component(s)	CAS#	Approx. %
A	Resin	Trade secret	<18
В	Titanium Dioxide	13463-67-7	<12
C	Aliphatic Petroleum Distillates	64742-96-7	<12
D	other ingredients		Balance

#### 4. FIRST AID MEASURES

### INHALATION:

If inhale a large quantity, remove to fresh air and lie quiet. Seek medical attention as needed.

EYE: Immediately flush eyes with water for at least 15 minutes. Seek medical attention as needed.

SKIN: Wash with mild soap and water.

#### **INGESTION:**

Rinse mouth thoroughly with water. Induce vomiting if possible. Seek medical attention as needed.

### PROTECTION TO FIRST-AIDERS:

Wear personal protective clothing and equipment.

## NOTE TO PHYSICIAN:

Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

## SUITABLE EXTINGUISHING MEDIA

Use water, dry chemical, or CO<sub>2</sub> gas.

(This product is not combustible under normal conditions due to its aqueous property.)

## UNSUITABLE EXTINGUISHING MEDIA

Not available.

## SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

Not available.

## SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

In case of fire, wear respirator.

#### 6. ACCIDENTAL RELEASE MEASURES

## PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Wear suitable personal protective equipment as needed.

## METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

For small spill, absorb with dry sand, saw dust or rag, and collect into container for disposal. Wipe the remaining up with rag.

For large spill, dike with soil, blankets or sandbags to prevent from contaminating soil and collect into container with shovel or vacuum.

Avoid releasing spilled material into rivers and/or lakes, and drains. If material is released to public water, advice local authority.

## 7. HANDLING AND STORAGE

## PRECAUTIONS FOR SAFE HANDLING

### **Protective Measures:**

Wear suitable protective equipment and clothing as needed to prevent the material from

Issue Date: August 22, 2019

Revised Date: -----

Digiace Digital Screen Discharge White US-077-MICI

contacting skin and eyes. Use in well-ventilated area. Minimize vapor generation and avoid breathing vapor. Handle and open containers with care - avoid rough handling or dropping.

Advice on General Occupational Hygiene:

Wash thoroughly after handling. Do not eat, drink, or smoke during work.

## CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES Technical

Measures Storage Conditions:

Store in a cool and dark place away from direct sunlight. Avoid freezing. Ventilate well to prevent vapors from settling in low areas. Keep container tightly closed.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **EXPOSURE LIMIT VALUES**

Titanium dioxide ACGIH – TLV (TWA) 10 mg/m<sup>3</sup>

OSHA – PEL 15 mg/m<sup>3</sup> (Total dust)

### **EXPOSURE CONTROLS**

Occupational Exposure Controls:

Local exhaust ventilation or general ventilation is necessary during indoor operation.

Personal Protection

**Respiratory Protection:** 

In an ill-ventilated area, wear chemical-cartridge respirator for organic gas, supplied-air respirator or self-contained breathing apparatus.

Hand Protection:

Wear rubber or plastic gloves.

Eye Protection:

Wear safety glasses with side shields or goggles.

Skin Protection:

Wear long pants, long sleeves, and boots when applicable.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White paste

Odor: slight acrylic odor

pH:  $8.5 \pm 0.5$  Boiling Point: Not available. Melting Point: Not available. Decomposition Temperature: Not available. Flash Point: Not available. Auto-Ignition Temperature: Not available.

Flammability: If this product is dry, it may be flammable.

Explosive Properties: Not available. Oxidizing Properties: Not available. Vapor Pressure: Not available. Specific Gravity (water = 1):  $1.20 \pm 0.05$ 

Solubility

Water: Miscible.
Partition Coefficient (n-octanol/water): Not available.

Viscosity: 30,000~40,000 mPa·s

Vapor Density: Not available. Evaporation Rate: Not available.

### 10. STABILITY AND REACTIVITY

Issue Date: August 22, 2019

Revised Date: -----

Digiace Digital Screen Discharge White US-077-MICI

CONDITIONS TO AVOID: None.

STABILITY: Stable under recommended conditions of storage and handling.

MATERIALS TO AVOID: None.

HAZARDOUS REACTIONS/DECOMPOSITION PRODUCTS:

None.

### 11. TOXICOLOGICAL INFORMATION

Acute Toxicity: Not available. Eye Irritaion: Not available. Not available. Skin Irritation: Sensitization: Not available. Repeated Dose Toxicity: Not available. Chronic Toxicity: Not available. Mutagenicity: Not available. Carcinogenicity: Not available.

Reproductive and Developmental Toxicity:

Not available.

### 12. ECOLOGICAL INFORMATION

ECOTOXICITY: Not available. MOBILITY: Not available.

PERSISTENCE AND BIODEGRADABILITY:

Not available.

BIOACCUMULATIVE POTENTIAL: Not available. OTHER ADVERSE EFFECTS: Not available.

## 13. DISPOSAL INFORMATION

Comply with all federal, state and local regulations.

Do not dump this product into sewers, on the ground or into any body of water.

## 14. TRANSPORT INFORMATION

## US DEPARTMENT OF TRANSPORTATION (DOT)

Hazardous Materials: Not regulated.

Hazardous Materials Description and Proper Shipping Name:

Not regulated.

Hazard Class or Division:

Identification Number:

Packing Group:

Label(s) Required:

Not regulated.

Not regulated.

Not regulated.

SEA TRANSPORT

**IMDG** 

Class: Not regulated.
Packing Group (PG): Not regulated.
UN Number: Not regulated.
Proper Shipping Name: Not regulated.
Marine Pollutant: Not regulated.

AIR TRANSPORT

ICAO/IATA

Class: Not regulated.

Issue Date: August 22, 2019

Revised Date: -----

Digiace Digital Screen Discharge White US-077-MICI

Packing Group (PG): Not regulated.
UN Number: Not regulated.
Proper Shipping Name: Not regulated.

### 15. REGULATORY INFORMATION

### OSHA STATUS:

This product is not considered to be hazardous under 29 CFR 1910.1200.

### TSCA STATUS:

All components on TSCA INVENTORY.

## CERCLA REPORTABLE QUANTITY (40 CFR 117, 302):

Not applicable.

### SARA TITLE III

Section 302 (40 CFR 355) – Extremely hazardous substance:

Not applicable.

Section 311/312 (40 CFR 370) – Hazard categories:

Immediate (acute) health hazardNDelayed (chronic) health hazardNFire hazardNSudden release of pressureNReactiveN

Section 313 (40 CFR 372) – Toxic chemical:

Not applicable.

CONEG – Typical Metals present in ppm:

Cadmium (Cd) N
Hexavalent Chromium (Cr(VI)) N
Lead (Pb) N
Mercury (Hg) N

## **HMIS Ratings**

Health: 1
Flammability: 0
Reactivity: 0
Protection: C

(0 = Minimal, 1 = Slight, 2 = Moderate, 3 = Serious, 4 = Severe)

ENCS (Japan): Components listed.

## California Proposition 65



This product can expose you to chemicals including ethylene oxide, which is known to the State of California to cause cancer and acrylamide which is known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov

Please refer to any other federal, state and local regulations.

For specific questions please call to Matsui International Co., Inc. USA 3107677812.

## 16. OTHER

### **ABBREVIATIONS**

OSHA: The Occupational Safety and Health Administration

NTP: National Toxicology Program

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists, Inc.

IMDG: International Maritime Dangerous Goods ICAO: International Civil Aviation Organization

Issue Date: August 22, 2019 Revised Date: -----

Digiace Digital Screen Discharge White US-077-MICI

IATA: International Air Transport Association

TSCA: Toxic Substances Control Act

CERCLA:Comprehensive Environmental Response, Compensation and Liability Act of 1980

SARA: Superfund Amendments and Reauthorization Act of 1986

CONEG: the Coalition of Northeastern Governors ENCS: Existing and New Chemical Substances

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of MATSUI INTERNATIONAL CO., INC. It relates only to the specific product designated herein, and does not relate to use in combination with any other material or in any process. MATSUI INTERNATIONAL CO., INC. assumes no legal responsibility for use of or reliance upon this information.