MATERIAL	SAFETY	DATA	SHEET
----------	--------	------	-------

% RANGE

1-5%

INFOTRAC EMERGENCY # 800.535.5053

Date Prepared/Revised: January 13, 2010

I. PRODUCT IDENTIFICATION

Trade Name (as labeled): <u>HARDENER-A</u> Manufacturers Name: Murakami Screen USA Inc. 745 Monterey Pass Road Monterey Park, CA 91754 Phone Number: 800-562-3534

II. HAZARDOUS INGREDIENTS

CAS NO. 7647-01-0

All ingredients of this product are listed under the TSCA INVENTORY

III. HEALTH AND HAZARD INFORMATION

TOXICOLOGY

Hydrochloric

Threshold Limit Volume: 7.5ppm Hydrochloric acid (2001 ACGIH TWA)

- Inhalation: Excessive exposure may cause an edema of the lungs. Signs and symptoms of excessive exposure may be to the central nervous system.
- Skin Contact: Excessive exposure may cause minor irritation.

Eye Contact: May cause eye irritation and also moderate corneal injury.

Protective Equipment: Gloves, safety glasses

IV. FIRST AID PROCEDURES

Never give fluids or induce vomiting if patient is unconscious or having convulsions. Medical conditions aggravated by exposure may be pre-existing skin or other physical conditions.

Ingestion: Induce vomiting if large amounts are ingested. Contact a physician.

Eye: Rinse well with water immediately and continuously. Contact a physician if irritation persists.

Skin: Wash well with soap and water. Contact a physician if irritation persists.

Inhalation: Remove patient from the area to fresh air. Contact a physician if irritation persists or breathing becomes difficult.

NOTE TO PHYSICIAN: No specific antidote. Supportive Care: Treatment based on judgment

of the physician in response to the reactions of the patient.

V. SPILL, LEAK, AND DISPOSAL PROCEDURES

Steps to be taken in case of spills or leaks:

1	
	Spillage should be contained by and covered by large quantities of sand, earth, or similar
	absorbent material, then brushed in vigorously to assist absorption. The mixture can then
	be collected with a plastic shovel into drums, plastic bags, or containers and remove for
	disposal. Prevent from flowing into ground or surface water.
Disposal:	Follow all relevant regulations for disposal. Check with your local authority.
Storing:	Store container tightly closed in a well-ventilated, cool, and dark place.
	Keep away from heat and sunlight (UV light).

Note: Dispose all waste material in accordance with federal, state, and local authorities.

VI. PHYSICAL PROPERTIES

Specific Gravity @ 77°F (25°C):1.01-1.04Boiling Point:100°CViscosity @ 77°F (25°C):1cpspH Value:0.2-1.0Appearance and Odor:Clear liquid with a slight pungent odor.0.2-1.0

VII. FIRE AND EXPLOSION

Flash Point / Method: Not flammable Appropriate Extinguishers: Use water, foam, dry chemical and/or CO2.

VIII. REACTIVITY DATA

Stability:Stable under normal conditions.Conditions to avoid:Heat and exposure to sunlight (UV light).

IX. SPECIAL HANDLING PROCEDURES

Ventilation and engineering controls: None required. Local exhaust ventilation may be necessary for some operations.

Respiratory Protection:

None required under normal conditions. If respiratory irritation is experienced, use an approved respirator. Use an approved self contained breathing apparatus if emergency conditions occur.

Eye Protection: Use safety glasses.

Gloves: Use vinyl or other protective gloves to prevent direct skin contact.

Storage: Protect from freezing.

X. REPORTING REQUIREMENTS AND ADDITIONAL INFORMATION

HMIS Code System Rating: Health 1; Flammability 0; Reactivity 0. NFPA 704 Code System Rating: Health 0; Flammability 0; Reactivity 0. Volatile Organic Compound (VOC): None Contains no carcinogen or petroleum hydrocarbons.

Note: Information herein is given in good faith and accurate to the best of our knowledge. No warranty is given, expressed, or implied.

MATERIAL SAFETY DATA SHEET

INFOTRAC EMERGENCY # 800.535.5053

Date Prepared/Revised: January 13, 2010

I. PRODUCT IDENTIFICATION

Trade Name (as labeled): **HARDENER B** Manufacturers Name: Murakami Screen USA Inc. 745 Monterey Pass Road Monterey Park, CA 91754 Phone Number: 800-562-3534

II. HAZARDOUS INGREDIENTS

	CAS NO.	% RANGE
Glyoxal	107-22-2	1-5%
Methanol	67-56-1	1-5%
Ethanol	64-17-5	3-8%
A 11 in and diameter of their more day	t and lists d and day the TOCA DW	ENTODY

All ingredients of this product are listed under the TSCA INVENTORY

III. HEALTH AND HAZARD INFORMATION

TOXICOLOGY

Threshold Limit Volume: Glyoxal, None established. Methanol, 200ppm. Ethanol, 1000ppm (2001 ACGIH TWA)

Inhalation: Excessive exposure may cause an edema of the lungs. Signs and symptoms of excessive exposure may be to the central nervous system.

Skin Contact: Excessive exposure may cause minor irritation.

Eye Contact: May cause eye irritation and also moderate corneal injury.

Protective Equipment: Gloves, safety glasses

IV. FIRST AID PROCEDURES

Never give fluids or induce vomiting if patient is unconscious or having convulsions. Medical conditions aggravated by exposure may be pre-existing skin or other physical conditions.

Ingestion: Induce vomiting if large amounts are ingested. Contact a physician.

Eye: Rinse well with water immediately and continuously. Contact a physician if irritation persists.

Skin: Wash well with soap and water. Contact a physician if irritation persists.

Inhalation: Remove patient from the area to fresh air. Contact a physician if irritation persists or breathing becomes difficult.

NOTE TO PHYSICIAN: No specific antidote. Supportive Care: Treatment based on judgment

of the physician in response to the reactions of the patient.

V. SPILL, LEAK, AND DISPOSAL PROCEDURES

Steps to be taken in case of spills or leaks:

	Spillage should be contained by and covered by large quantities of sand, earth, or similar
	absorbent material, then brushed in vigorously to assist absorption. The mixture can then
	be collected with a plastic shovel into drums, plastic bags, or containers and remove for
	disposal. Prevent from flowing into ground or surface water.
Disposal:	Follow all relevant regulations for disposal. Check with your local authority.
Storing:	Store container tightly closed in a well-ventilated, cool, and dark place.
	Keep away from heat and sunlight (UV light).

Note: Dispose all waste material in accordance with federal, state, and local authorities.

VI. PHYSICAL PROPERTIES

Specific Gravity @ 77°F (25°C):0.99-0.998Boiling Point:90°CViscosity @ 77°F (25°C):1 cpspH Value:5.5-6.8Appearance and Odor:Clear liquid with a slight pungent odor.5.5-6.8

VII. FIRE AND EXPLOSION

Flash Point / Method: Not flammable Appropriate Extinguishers: Use water, foam, dry chemical and/or CO2.

VIII. REACTIVITY DATA

Stability:Stable under normal conditions.Conditions to avoid:Heat and exposure to sunlight (UV light).

IX. SPECIAL HANDLING PROCEDURES

Ventilation and engineering controls: None required. Local exhaust ventilation may be necessary for some operations.

Respiratory Protection:

None required under normal conditions. If respiratory irritation is experienced, use an approved respirator. Use an approved self contained breathing apparatus if emergency conditions occur.

Eye Protection: Use safety glasses.

Gloves: Use vinyl or other protective gloves to prevent direct skin contact.

Storage: Protect from freezing.

X. REPORTING REQUIREMENTS AND ADDITIONAL INFORMATION

HMIS Code System Rating: Health 1; Flammability 0; Reactivity 0. NFPA 704 Code System Rating: Health 0; Flammability 0; Reactivity 0. Volatile Organic Compound (VOC): None Contains no carcinogen or petroleum hydrocarbons.

Note: Information herein is given in good faith and accurate to the best of our knowledge. No warranty is given, expressed, or implied.