

Article No.: Rubi Rubylith Masking Film
Print date 03.05.2016 Revision date 25.04.2016 USA
Version 1.1 Issue date 25.04.2016 Page 1 / 6

# 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifiers

Article No. (manufacturer/supplier): Rubi

Identification of the substance or mixture Rubylith Masking Film

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Stencil production for screen and textile printing. Reserved for industrial and professional use.

1.3. supplier (manufacturer/importer/downstream user/distributor)

**ULANO® CORPORATION** 

 110 Third Avenue
 Telephone: +1 718-237-4700

 Brooklyn, NY 11217
 Telefax: +1 718-802-1119

 USA
 E-mail info@ulano.com

Information contact:

E-mail (competent person): P. Drago dragop@ulano.com

1.4. Emergency telephone:

Emergency telephone: 1-800-424-9300 (CHEMTREC)

# 2. Hazards identification

#### 2.1. Classification of the substance or mixture

## Classification according to GHS

This mixture is classified as not hazardous according to GHS

## 2.2. Label elements

The product is classified and labelled according to GHS.

Labelling according to GHS

**Hazard pictograms** 

**Hazard statements** 

n.a.

**Precautionary statements** 

n.a.

contains:

n.a.

## 2.3. Other hazards

# 3. Composition / Information on ingredients

# 3.2. Mixtures

# Product description / chemical characterization

**Description** Mixture of components, as listed below, with nonhazardous constituents

**Hazardous ingredients** 

Classification according to GHS

EC No. REACH No. CAS No. Chemical name

**INDEX No. classification:** 203-625-9 01-2119471310-51

0.5 - 1

Wt %

Remark

108-88-3 toluene 601-021-00-3 Flam. Liq. 2 H225 / Repr. 2 H361 / Asp. Tox. 1 H304 / STOT RE 2 H373 /

Skin Irrit. 2 H315 / STOT SE 3 H336

## **Additional information**

Full text of classification: see section 16



Article No.: Rubi Rubylith Masking Film
Print date 03.05.2016 Revision date 25.04.2016 USA
Version 1.1 Rubylith Masking Film
Revision date 25.04.2016 USA
Issue date 25.04.2016 Page 2 / 6

### 4. First-aid measures

# 4.1. Description of first aid measures

## **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

### Following skin contact

After contact with skin, wash immediately with plenty of water and soap.Remove contaminated, saturated clothing immediately.

### After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.If eye irritation persists: Get medical advice/attention.

#### After ingestion

Seek medical advice immediately. Do NOT induce vomiting.

## 2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

## 4.3. Indication of any immediate medical attention and special treatment needed

## 5. Firefighting measures

## 5.1. Extinguishing media

### Suitable extinguishing media

Foam Water mist Carbon dioxide

## Extinguishing media which must not be used for safety reasons:

strong water jet

# 5.2. Special hazards arising from the substance or mixture

Gases/vapours, toxic

## 5.3. Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

### **Additional information**

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire.Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

# 6. Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area.Remove persons to safety. Do not breathe vapours.See protective measures under point 7 and 8.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Provide good ventilation.

## 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

## 6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

# 7. Handling and storage

### 7.1. Precautions for safe handling

# Advices on safe handling

Heed the usual precautionary measures of handling chemicals.

Avoid: Generation/formation of aerosols

VCI-storage class, see Chapter 15

# 7.2. Conditions for safe storage, including any incompatibilities



USA Page 3 / 6

Article No.: Rubi Rubylith Masking Film Print date 03.05.2016 Revision date 25.04.2016 Ussue date 25.04.2016

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

## Requirements for storage rooms and vessels

Always keep in containers that correspond to the material of the original container. Ensure adequate ventilation of the storage area.

### **Additional information**

VCI-storage class, see Chapter 15

## 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

# 8. Exposure controls / Personal protection

## 8.1. Control parameters

### Occupational exposure limit values:

n.a.

#### 8.2. Exposure controls

Provide good ventilation.

# Personal protection equipment

### Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used.

# Hand protection

Chemical resistant protective gloves.

Recommendation for contact by spatter: Protection Index 2 Permeation time >30 min., e.g. butyl rubber 0,4 mm Recommendation for direct contact: Protection Index 6 Permeation time >480 min., e.g. nitrile rubber 0,4 mm

## Eye protection

Wear closed protection glasses.

# **Protective clothing**

## Protective measures

Avoid contact with skin, eyes and clothes. After contact clean skin thoroughly with water and soap or use appropriate cleanser.

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# 9. Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance:

Physical state solid
Colour refer to label
Odour characteristic

Safety relevant basis data Method Remark

Flash point: n.a. **Ignition temperature (AIT)** n.a. Lower explosion limit 0.8 Vol-% **Upper explosion limit** n.a. Vapour pressure at 20 °C: n.a. Density at 20 °C: 0.70 g/cm<sup>3</sup> Water solubility (g/L) insoluble pH at 20 °C: Viscosityat °C:

Initial boiling point and boiling range 110 °C (101,3 kPa)

Decomposition temperature (°C):



Article No.: Rubi Rubylith Masking Film
Print date 03.05.2016 Revision date 25.04.2016 US/
Version 1.1 Rubylith Masking Film
Revision date 25.04.2016 US/
Issue date 25.04.2016 Page 4 / 6

## 9.2. Other information:

# 10. Stability and reactivity

## 10.1. Reactivity

# 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

# 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

- 10.4. Conditions to avoid
- 10.5. Incompatible materials
- 10.6. Hazardous decomposition products

## 11. Toxicological information

Classification for mixtures and used evaluation method according to GHS No data on preparation itself available.

## 11.1. Information on toxicological effects

### Acute toxicity

Toxicological data are not available.

# skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

### Respiratory or skin sensitisation

Toxicological data are not available.

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

## Specific target organ toxicity

Toxicological data are not available.

# **Aspiration hazard**

Toxicological data are not available.

# Practical experience/human evidence

Other observations:

Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness, formation of blebs, dermatitis, etc..

## **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

# Remark

There is no information available on the preparation itself .

# 12. Ecological information

# overall evaluation

Classification for mixtures and used evaluation method according to GHS

Do not store at public landfills.

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge.

## 12.1. Toxicity

No information available.

# Long-term Ecotoxicity

Toxicological data are not available.

# 12.2. Persistence and degradability

Toxicological data are not available.

# 12.3. Bioaccumulative potential



Article No.: Rubi Rubylith Masking Film Print date 03.05.2016 Revision date 25.04.2016 Version 1.1 Rubylith Masking Film Revision date 25.04.2016

USA Page 5 / 6

Toxicological data are not available.

## **Bioconcentration factor (BCF)**

Toxicological data are not available.

# 12.4. Mobility in soil

Toxicological data are not available.

### 12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

# 13. Disposal considerations

## 13.1. Waste treatment methods

# Appropriate disposal / Product

Recommendation

# List of proposed waste codes/waste designations in accordance with EWC

080409 waste adhesives and sealants containing organic solvents or

other dangerous substances

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

## 14. Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number

n.a.

14.2. UN proper shipping name

14.3. Transport hazard class(es)

n.a.

14.4. Packing group

n.a.

14.5. Environmental hazards

Land transport (ADR/RID) n.a.

Marine pollutant n.a.

# 14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

## **Additional information**

# Land transport (ADR/RID/DOT)

tunnel restriction code -

Sea transport (IMDG) EmS-No.

Packaging >30 I n.a.

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

# 15. Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** legislation

VOC

VOC-value (in g/L): ISO 11890-2

18.900



Rubylith Masking Film Article No.: Rubi Revision date 25.04.2016 Issue date 25.04.2016 Print date 03.05.2016 Version Page 6 / 6

VOC-value (in g/L): ASTM D 2369

18.900

## Observe in addition any national regulations!

Listet in TOXIC SUBSTANCES CONTROL ACT (TSCA)

# 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

#### 16. Other information

Full text of classification in section 3:

Flam. Liq. 2 / H225 flammable liquids Repr. 2 / H361 Reproductive toxicity Asp. Tox. 1 / H304 Aspiration hazard

STOT RE 2 / H373

exposure)

May be fatal if swallowed and enters airways. Specific target organ toxicity (repeated May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it

is conclusively proven that no other routes of exposure cause the hazard).

Highly flammable liquid and vapour.

Suspected of damaging the unborn child.

Causes skin irritation.

USA

skin corrosion/irritation

STOT SE 3 / H336 Specific target organ toxicity (single May cause drowsiness or dizziness.

exposure)

## Additional information

Skin Irrit. 2 / H315

Classification for mixtures and used evaluation method according to GHS.

The information supplied on this safety data sheet complies with our current level of knowledge. Without written approval, the product must not be used for purposes different from those mentioned in Chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describes the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.