

Print date 2/3/2017
Version 2.4

ALL PURPOSE INK WASH
Revision date 1/30/2017
Issue date 1/30/2017

Page 1 / 7

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Identification of the substance or mixture ALL PURPOSE INK WASH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Cleaner / Thinner. Reserved for industrial and professional use.

1.3. Details of the supplier of the safety data sheet

supplier (manufacturer/importer/downstream user/distributor)

ULANO® CORPORATION

110 Third Avenue
Brooklyn, NY 11217
USA

Telephone: +1 718-237-4700

Telefax: +1 718-802-1119

E-mail info@ulano.com

Information contact:

E-mail (competent person): P. Drago

dragop@ulano.com

1.4. Emergency telephone number

Emergency telephone:

1-800-424-9300 (CHEMTREC)

2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to GHS

This mixture is classified as hazardous according to GHS

Flam. Liq. 4 / H227

flammable liquids

Combustible liquid.

Eye Dam. 1 / H318

Serious eye damage/eye irritation

Causes serious eye damage.

STOT SE 3 / H335

Specific target organ toxicity (single exposure)

May cause respiratory irritation.

2.2. Label elements

The product is classified and labelled according to GHS.

Labelling according to GHS

Hazard pictograms



Danger

Hazard statements

H227

Combustible liquid.

H318

Causes serious eye damage.

H335

May cause respiratory irritation.

Precautionary statements

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280

Wear protective gloves and eye/face protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER or doctor/ physician.

P370 + P378

In case of fire: Use Extinguishing powder or sand to extinguish.

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P403 + P235

Store in a well-ventilated place. Keep cool.

contains:

Alcohols, C10-16, ethoxylated
(2-methoxymethylethoxy)propanol

2.3. Other hazards

3. Composition / Information on ingredients

3.2. Mixtures

Product description / chemical characterization

Description Mixture of components, as listed below, with nonhazardous constituents

Hazardous ingredients

Classification according to GHS

EC No.	REACH No.	Wt %
CAS No.	Chemical name	Remark
INDEX No.	classification:	
252-104-2	01-2119450011-60	
34590-94-8	(2-methoxymethylethoxy)propanol STOT SE 3 H335 / Flam. Liq. 4 H227	10 - 30
203-961-6	01-2119475104-44	
112-34-5	2-(2-butoxyethoxy)ethanol	10 - 30
603-096-00-8	Eye Irrit. 2A H319	
204-626-7	01-2119473975-21	
123-42-2	4-hydroxy-4-methylpentan-2-one	5 - 10
603-016-00-1	Acute Tox. 4 H312 / Skin Irrit. 2 H315 / Eye Irrit. 2 H319 / STOT SE 3 H335 / Flam. Liq. 3 H226	
500-182-6		
68002-97-1	Alcohols, C10-16, ethoxylated Eye Dam. 1 H318 / Aquatic Acute 1 H400 / Aquatic Chronic 3 H412	5 - 10
68439-45-2	Acute Tox. 4 H302 / Eye Irrit. 2A H319	1 - 5

Additional information

Full text of classification: see section 16

4. First-aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately.

After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Seek medical advice immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide Water mist Foam

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Gases/vapours, toxic

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.

Additional information

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Remove persons to safety. Do not breathe vapours. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Provide good ventilation.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

7. Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin and eyes. Do not inhale vapours or mist.
Do not eat, drink or smoke when using this product.
Personal protection equipment: refer to chapter 8.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Always keep in containers that correspond to the material of the original container. Ensure adequate ventilation of the storage area.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Additional information

VCI-storage class, see Chapter 15

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

8. Exposure controls / Personal protection

8.1. Control parameters

Occupational exposure limit values:

4-hydroxy-4-methylpentan-2-one
INDEX No. 603-016-00-1 / EC No. 204-626-7 / CAS No. 123-42-2

OSHA, TWA: 240 mg/m³; 50 ppm

NIOSH, TWA: 240 mg/m³; 50 ppm

ACGIH, TWA: 238 mg/m³; 50 ppm

2-(2-butoxyethoxy)ethanol
INDEX No. 603-096-00-8 / EC No. 203-961-6 / CAS No. 112-34-5

ACGIH, TWA: 67.5 mg/m³; 10 ppm

Remark: inhalable fraction and vapor

Additional information

TWA : long-term occupational exposure limit value
STEL : short-term occupational exposure limit value
C : peak limitation

8.2. Exposure controls

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Hand protection

Wear chemical resistant protective gloves.

Eye protection

Wear closed protection glasses.

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties

9.1. **Information on basic physical and chemical properties**

Appearance:

Physical state	liquid
Colour	refer to label
Odour	characteristic

Safety relevant basis data

		Method	Remark
Flash point:	80 °C	ASTM D 93 Pensky-Martens	
Ignition temperature (AIT)	230 °C		
Lower explosion limit	0.8 Vol-%		
Upper explosion limit	14.0 Vol-%		
Vapour pressure at 20 °C:	0.22 mbar		
Density at 20 °C:	1.01 g/cm ³		
Water solubility (g/L)	partially soluble		
pH at 20 °C:	-		
Viscosity at 20 °C:	10 s 4 mm	DIN 53211	
Initial boiling point and boiling range	148 °C (101,3 kPa)		
Decomposition temperature (°C):	0		

9.2. **Other information**

10. Stability and reactivity

10.1. **Reactivity**

10.2. **Chemical stability**

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

10.3. **Possibility of hazardous reactions**

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. **Conditions to avoid**

10.5. **Incompatible materials**

10.6. **Hazardous decomposition products**

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

11. Toxicological information

Classification for mixtures and used evaluation method according to GHS
No data on preparation itself available.

11.1. **Information on toxicological effects**

Acute toxicity

Alcohols, C10-16, ethoxylated
oral, LD50, Rat: 2750 mg/kg

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

Respiratory or skin sensitisation

Toxicological data are not available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness, formation of blebs, dermatitis, etc..

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself .

12. Ecological information

overall evaluation

Classification for mixtures and used evaluation method according to GHS
Do not store at public landfills.

12.1. Toxicity

No information available.

Long-term Ecotoxicity

Alcohols, C10-16, ethoxylated
Daphnia toxicity, EC50: 0.6 mg/L (48 h)

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

13. Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product Recommendation

packaging Recommendation

Print date 2/3/2017
Version 2.4

ALL PURPOSE INK WASH
Revision date 1/30/2017
Issue date 1/30/2017

Page 6 / 7

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

14. Transport information

- 14.1. UN number** UN 3082
- 14.2. UN proper shipping name**
 Land transport (ADR / RID / DOT): Environmentally hazardous substance, liquid, n.o.s. (Alcohols, C10-16, ethoxylated)
 Sea transport (IMDG): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C10-16, ethoxylated)
 Air transport (ICAO-TI / IATA-DGR): Environmentally hazardous substance, liquid, n.o.s. (Alcohols, C10-16, ethoxylated)
- 14.3. Transport hazard class(es)** 9
- 14.4. Packing group** III
- 14.5. Environmental hazards**
 Land transport (ADR/RID) environmental hazard
 Marine pollutant p / Alcohols, C10-16, ethoxylated
- 14.6. Special precautions for user**
 Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.
 Advices on safe handling: see parts 6 - 8
- Additional information**
- Land transport (ADR / RID / DOT)**
 tunnel restriction code E
 Special provisions:
- Sea transport (IMDG)**
 EmS-No. F-A, S-F
 Packaging >30 I
- 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**
 not applicable

15. Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Observe in addition any national regulations!**
 calculated with mixing rule
- Substance/product listed in the following inventories:**
 Listed in TOXIC SUBSTANCES CONTROL ACT (TSCA)
- 15.2. Chemical Safety Assessment**
 Chemical safety assessments for substances in this preparation were not carried out.

16. Other information

Full text of classification in section 3:

STOT SE 3 / H335	Specific target organ toxicity (single exposure)	May cause respiratory irritation.
Flam. Liq. 4 / H227	flammable liquids	Combustible liquid.
Eye Irrit. 2A / H319	Serious eye damage/eye irritation	Causes serious eye irritation.
Acute Tox. 4 / H312	Acute toxicity (dermal)	Harmful in contact with skin.
Skin Irrit. 2 / H315	skin corrosion/irritation	Causes skin irritation.
Eye Irrit. 2 / H319	Serious eye damage/eye irritation	Causes serious eye irritation.
Flam. Liq. 3 / H226	flammable liquids	Flammable liquid and vapour.

Safety Data Sheet

GHS VERSION



Print date 2/3/2017
Version 2.4

ALL PURPOSE INK WASH
Revision date 1/30/2017
Issue date 1/30/2017

Page 7 / 7

Eye Dam. 1 / H318
Aquatic Acute 1 / H400
Aquatic Chronic 3 / H412
Acute Tox. 4 / H302

Serious eye damage/eye irritation
Hazardous to the aquatic environment
Hazardous to the aquatic environment
Acute toxicity (oral)

Causes serious eye damage.
Very toxic to aquatic life.
Harmful to aquatic life with long lasting effects.
Harmful if swallowed.

Additional information

Classification for mixtures and used evaluation method according to GHS

The information supplied on this safety data sheet is correct to the best of our knowledge. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.