Article No Print date Version		EZ-Orange Filn Revision date 8 Issue date 8/15	3/15/2016	Page 1 / 6	
1. Id	dentification of the	substance/mixture a	nd of the comp	any/undertaking	
Ai	roduct identifiers rticle No. (manufactu lentification of the sub		30333 EZ-Orange F	ïlm	
R	C C			-	
รเ	upplier (manufacture	r of the safety data shee er/importer/downstream			
11 Br	LANO® CORPORAT 10 Third Avenue rooklyn, NY 11217 SA	ION	Telephone: + Telefax: +1 7 E-mail info@		
E-	formation contact: -mail (competent pers		dragop@ular	no.com	
	mergency telephone: mergency telephone:	number	1-800-255-39	024 / +1 813-248-0573 (ChemTel)	
2. H	azards identificati	on			
C Tł Sł	Classification according to GHSThis mixture is classified as hazardous according to GHSSkin Sens. 1 / H317respiratory or skin sensitisationMay cause an allergic skin reaction.			May cause an allergic skin reaction.	
 2.2. Label elements The product is classified and labelled according to GHS. Labelling according to GHS Hazard pictograms Warning Hazard statements H317 May cause an allergic skin reaction. Precautionary statements P280 Wear protective gloves and eye/face protection. contains: 2,2-bis(acryloyloxymethyl)butyl acrylate reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2-isothiazol-3-one [EC no. 220-239-6] (3:1) 2-lsopropyl-9H-thioxanthen-9-one 2-ethylhexyl acrylate 					
2.3. O	ther hazards				
3. C	Composition / Information on ingredients				
3.2. Mixtures Product description / chemical characterization Description Mixture of components, as listed below, with nonhazardous constituents		n nonhazardous constituents			
	Hazardous ingredients				

Classification according to GHS

EC No.	REACH No.	
CAS No.	Chemical name	
INDEX No.	classification:	



le No.: t date sion	30333 8/15/2016 1.0	EZ-Orange Film Revision date 8/15/2016 Issue date 8/15/2016	Page 2 / 6
239-701-3 15625-89-5 607-111-00		2,2-bis(acryloyloxymethyl)butyl acrylate Eye Irrit. 2 H319 / Skin Irrit. 2 H315 / Skin Sens. 1	5 - 10 H317
500-130-2 55818-57-0)	Skin Sens. 1 H317	1 - 5
203-080-7 103-11-7 607-107-00)-7	2-ethylhexyl acrylate STOT SE 3 H335 / Skin Irrit. 2 H315 / Skin Sens.	1 - 5 1 H317
226-827-9 5495-84-1		2-Isopropyl-9H-thioxanthen-9-one Acute Tox. 4 H302 / Acute Tox. 5 H333 / Eye Irrit. H317 / STOT SE 3 H335	0.1 - 1 2B H320 / Skin Sens. 1
55965-84-9 613-167-00		reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-c and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6 Acute Tox. 3 H331 / Acute Tox. 3 H311 / Acute To 1B H314 / Skin Sens. 1 H317 / Aquatic Acute 1 H4 H410	6] (3:1) ox. 3 H301 / Skin Corr.

Full text of classification: see section 16

4. First-aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap.Remove contaminated, saturated clothing immediately.

After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Seek medical advice immediately.Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide Water mist Foam

Extinguishing media which must not be used for safety reasons: strong water jet

5.2. Special hazards arising from the substance or mixture Gases/vapours, toxic

5.3. Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

Additional information

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire.Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.



Article No.:	30333	E2-Orange Film
Print date	8/15/2016	Revision date 8/15/2016
Version	1.0	Issue date 8/15/2016
00101011	1.0	



Page 3 / 6

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Remove persons to safety. Do not breathe vapours. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains in significant quantities. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Provide good ventilation.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

7. Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin and eyes. Do not inhale vapours or mist. Do no eat, drink or smoke when using this product. Personal protection equipment: refer to chapter 8.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Always keep in containers that correspond to the material of the original container. Ensure adequate ventilation of the storage area.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Additional information

VCI-storage class, see Chapter 15

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

8. Exposure controls / Personal protection

8.1. Control parameters

Occupational exposure limit values:

n.a.

8.2. Exposure controls

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Hand protection

Wear chemical resistant protective gloves.

Eye protection

Wear closed protection glasses.

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains in significant quantities.

9.

9.1.

10.

11.

Article No.:	30333	EZ-Orange Film
Print date	8/15/2016	Revision date 8/15/2016
Version	1.0	Issue date 8/15/2016

Physical and chemical properties



Remark

Page 4 / 6

Information on basic physical and chemical properties Appearance: **Physical state** liquid Colour refer to label Odour characteristic Safety relevant basis data Method Flash point: n.a. Ignition temperature (AIT) 252 °C Lower explosion limit 0.8 Vol-% **Upper explosion limit** 6.0 Vol-% Vapour pressure at 20 °C: n.a. Density at 20 °C: 1.03 g/cm3 Water solubility (g/L) partially soluble pH at 20 °C: Viscosityat °C: n.a. Initial boiling point and boiling range 100 °C (101,3 kPa) Decomposition temperature (°C): 0 9.2. Other information: Stability and reactivity 10.1. Reactivity 10.2. Chemical stability Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7. 10.3. Possibility of hazardous reactions Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions. 10.4. Conditions to avoid 10.5. Incompatible materials 10.6. Hazardous decomposition products Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides. **Toxicological information** Classification for mixtures and used evaluation method according to GHS No data on preparation itself available. 11.1. Information on toxicological effects Acute toxicity Toxicological data are not available. skin corrosion/irritation; Serious eye damage/eye irritation Toxicological data are not available. Respiratory or skin sensitisation Toxicological data are not available. CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Toxicological data are not available. Specific target organ toxicity Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness,

Article No.:	30333	EZ
Print date	8/15/2016	Re
Version	1.0	lss

Z-Orange Film Revision date 8/15/2016 ssue date 8/15/2016



Page 5 / 6

formation of blebs, dermatitis, etc..

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself .

12. Ecological information

overall evaluation

Classification for mixtures and used evaluation method according to GHS Do not store at public landfills.

12.1. Toxicity

No information available.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

13. Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Dispose of waste according to applicable legislation.

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

14. Transport information No dangerous good in sense of this transport regulation.

14.1. UN number	-
	n.a.
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	
	n.a.
14.4. Packing group	n.a.
14.5. Environmental hazards	n.a.
Land transport (ADR / RID / DOT):	n.a.
Marine pollutant	n.a.

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Article No.:	30333	EZ-Orange Film
Print date	8/15/2016	Revision date 8/15/2016
Version	1.0	Issue date 8/15/2016



Page 6 / 6

Advices on safe handling: see parts 6 - 8

Additional information

Land transport (ADR / RID / DOT):

tunnel restriction code

Sea transport (IMDG)

EmS-No. Packaging >30 I n.a.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe in addition any national regulations!

calculated with mixing rule

Substance/product listed in the following inventories: Listed in TOXIC SUBSTANCES CONTROL ACT (TSCA)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

16. Other information

Full text of classification in section 3:

	Eye Irrit. 2 / H319	Serious eye damage/eye irritation	Causes serious eye irritation.	
	Skin Irrit. 2 / H315	skin corrosion/irritation	Causes skin irritation.	
	Skin Sens. 1 / H317	respiratory or skin sensitisation	May cause an allergic skin reaction.	
	STOT SE 3 / H335	Specific target organ toxicity (single exposure)	May cause respiratory irritation.	
	Acute Tox. 4 / H302	Acute toxicity (oral)	Harmful if swallowed.	
	Acute Tox. 5 / H333	Acute toxicity (inhalative)	May be harmful if inhaled.	
	Eye Irrit. 2B / H320	Serious eye damage/eye irritation	Causes eye irritation.	
	Acute Tox. 3 / H331	Acute toxicity (inhalative)	Toxic if inhaled.	
	Acute Tox. 3 / H311	Acute toxicity (dermal)	Toxic in contact with skin.	
	Acute Tox. 3 / H301	Acute toxicity (oral)	Toxic if swallowed.	
	Skin Corr. 1B / H314	skin corrosion/irritation	Causes severe skin burns and eye damage.	
	Aquatic Acute 1 / H400	Hazardous to the aquatic environment	Very toxic to aquatic life.	
	Aquatic Chronic 1 / H410	Hazardous to the aquatic environment	Very toxic to aquatic life with long lasting effects.	

Additional information

Classification for mixtures and used evaluation method according to GHS

The information supplied on this safety data sheet is correct to the best of our knowledge.Without written approval, the product must not be used for purposes different from those mentioned in chapter 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations.The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.