

SAFETY DATA SHEET

Published DateRevision DateRevision NumberFeb-03-2022Feb-03-20222.6

1. IDENTIFICATION

Product identifier

Product code LWU7020NC

Product name UV Digital Adhesion Primer

Product category Ink Product

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Industrial Printing Operations

Details of the supplier of the safety data sheet

UNITED STATES
UNITED KINGDOM
Nazdar Company
Nazdar Limited
8501 Hedge Lane Terrace
Shawnee, KS 66227
Burton Road
Heaton Mersey

Tel: +001-913-422-1888 Stockport, England SK4 3EG
Tel: +001-800-677-4657 Tel: +44 161 442 2111

Fax: +001-913-422-2294 www.nazdar.com

Emergency telephone number

USA: Chemtrec: +001-800-424-9300 Outside USA: Chemtrec: +001-703-527-3887

24 Hour Emergency Phone Number

2. HAZARDS IDENTIFICATION

Classification

Skin Corrosion/Irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)

Label elements



Signal Word Warning

Hazard Statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary Statements

P264 - Wash face, hands and any exposed skin thoroughly after handling

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Hazards not otherwise classified (HNOC)

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Inhalation

Component	CAS-No	Weight %	Trade Secret	Note
Ethyl 3-ethoxypropionate	763-69-9	1 - 5	*	
2-(Dimethylamino)ethanol	108-01-0	1 - 5	*	
Surfactant	Trade Secret	1 - 5	*	
Ammonium hydroxide	1336-21-6	0.1 - < 1	*	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention if irritation develops and

persists.

Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes. Remove

contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention. Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or

stopped, administer artificial respiration, Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed

None under normal use conditions.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and

clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people

away from and upwind of spill/leak.

Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Use personal protective equipment as required. Do not eat, drink or smoke when using this

product. Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

open flames, hot surfaces and sources of ignition. Keep container closed when not in use.

Keep out of the reach of children. Do not freeze.

Incompatible Products Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits

Component	Ontario TWAEV
Ethyl 3-ethoxypropionate	TWA: 50 ppm
763-69-9	TWA: 300 mg/m ³
2-(Dimethylamino)ethanol	TWA: 3 ppm
108-01-0	TWA: 11 mg/m³
	STEL: 6 ppm
	STEL: 22 mg/m ³

Appropriate engineering controls

Engineering Measures Provide a good standard of general ventilation. Natural ventilation is from doors, windows

etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are advised to consider national Occupational Exposure Limits or other equivalent values. In

case of insufficient ventilation, wear suitable respiratory equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear

suitable face shield. Ensure that eyewash stations and safety showers are close to the

workstation location.

Skin Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Hand Protection Chemical resistant protective gloves.

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding >480 minutes of permeation time): eg. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers. Taking into account the varying conditions, the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Due to different glove types, the manufacturer's directions for use should be observed. Replace gloves immediately when torn or any change in appearance is noticed such as

dimension, color, flexibility.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved **Respiratory Protection**

respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of

the material.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before

eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of

No data available

equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Colored Liquid Color

Odor No information available **Odor Threshold** No information available

Property Values Remarks • Method pН No data available No data available **Melting Point / Freezing Point Boiling Point / Boiling Range** > 100 °C / 212 °F

Flash Point > 94 °C / > 201 °F

No data available **Evaporation rate** No data available

Flammability Limit in Air

Upper flammability limit No data available Lower flammability limit No data available **Vapor Pressure** No data available Vapor Density No data available

Specific Gravity 1.01

Water Solubility No data available Solubility in other solvents No data available

Partition coefficient: n-octanol/water No data available **Autoignition Temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available

Explosive Properties No data available No data available **Oxidizing Properties**

Other Information

Dynamic viscosity

Photochemically Reactive No Weight Per Gallon (lbs/gal) 8.46

VOC by weight %	VOC by volume %	VOC lbs/gal	VOC grams/liter
(less water)	(less water)	(less water)	(less water)
28.7	No information available	2.43	290.87
Volatile by weight % (including Water) 83.58	Water by weight % 77.43		

10. STABILITY AND REACTIVITY

Reactivity

No information available.

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Do not freeze.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

InhalationSpecific test data for the substance or mixture is not available.Eye ContactSpecific test data for the substance or mixture is not available.Skin ContactSpecific test data for the substance or mixture is not available.IngestionSpecific test data for the substance or mixture is not available.

Component	Oral LD50
Ethyl 3-ethoxypropionate	= 5 g/kg (Rat)
763-69-9	
2-(Dimethylamino)ethanol	= 1803 mg/kg (Rat)
108-01-0	
Surfactant	= 2100 mg/kg (Rat)
Ammonium hydroxide	= 350 mg/kg (Rat)
1336-21-6	

Component	Dermal LD50
Ethyl 3-ethoxypropionate	> 9500 mg/kg (Rabbit)
763-69-9	
2-(Dimethylamino)ethanol	= 1220 mg/kg (Rabbit)
108-01-0	
Surfactant	> 2000 mg/kg (Rat)

Component	Inhalation LC50
Ethyl 3-ethoxypropionate	> 5.96 mg/L (Rat) 6 h
763-69-9	
2-(Dimethylamino)ethanol	= 1641 ppm (Rat) 4 h
108-01-0	

Information on toxicological effects

Symptoms Specific test data for the substance or mixture is not available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Specific test data for the substance or mixture is not available. Causes skin irritation (pain,

redness and swelling). (based on components).

Eye damage/irritation Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components).

Irritation Specific test data for the substance or mixture is not available. Specific test data for the substance or mixture is not available. Corrosivity Specific test data for the substance or mixture is not available. Sensitization **Mutagenic Effects** Specific test data for the substance or mixture is not available. Specific test data for the substance or mixture is not available. Carcinogenic effects **Reproductive Effects** Specific test data for the substance or mixture is not available. STOT - single exposure Specific test data for the substance or mixture is not available. STOT - repeated exposure Specific test data for the substance or mixture is not available. Specific test data for the substance or mixture is not available **Chronic Toxicity Aspiration hazard** Specific test data for the substance or mixture is not available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 95,904.00 mg/kg

 ATEmix (dermal)
 64,894.00 mg/kg

 ATEmix (inhalation-dust/mist)
 79.80 mg/l

 ATEmix (inhalation-vapor)
 585.00 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Component

2-(Dimethylamino)ethanol

Specific test data for the substance or mixture is not available.

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

108-01-0	
Component	Fish
Ethyl 3-ethoxypropionate 763-69-9	96h LC50 Pimephales promelas: = 62 mg/L (static)
2-(Dimethylamino)ethanol 108-01-0	96h LC50 Pimephales promelas: = 81 mg/L (static)
Ammonium hydroxide 1336-21-6	96h LC50 Pimephales promelas: = 8.2 mg/L

Algae/aquatic plants

72h EC50 Desmodesmus subspicatus: = 35 mg/L

Component	Crustacea
Ethyl 3-ethoxypropionate	48h EC50 Daphnia magna: = 970 mg/L
763-69-9	
2-(Dimethylamino)ethanol	48h EC50 Daphnia magna: = 98.77 mg/L
108-01-0	
Ammonium hydroxide	48h EC50 water flea: = 0.66 mg/L
1336-21-6	48h EC50 Daphnia pulex: = 0.66 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

No information available

Component	Partition coefficient
Ethyl 3-ethoxypropionate	1.35
763-69-9	

2-(Dimethylamino)ethanol	-0.55
108-01-0	

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Contain and dispose of waste according to local regulations.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

Note: This information is not intended to convey all specific transportation requirements relating to

this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation information can be found in the specific regulations for your mode of transportation. It is the responsibility of the transporting organization to follow all applicable laws, regulations and

rules relating to the transportation of the material.

DOT Not regulated

ICAO / IATA / IMDG / IMO Not Regulated

15. REGULATORY INFORMATION

International Inventories

All components are listed on the TSCA Inventory. For further information, please contact:. Supplier (manufacturer/importer/downstream user/distributor).

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:.

, .v			
Component	CAS-No	Weight %	
Chlorobenzene	108-90-7	0.1 - < 1	

U.S. State Regulations

The Property of the Control of the C	Massachusetts
	Right To Know
2-(Dimethylamino)ethanol	X
108-01-0	
Ammonium hydroxide	Χ
1336-21-6	

	New Jersey Right To Know
2-(Dimethylamino)ethanol 108-01-0	X
Ammonium hydroxide 1336-21-6	X

· ·	Pennsylvania Right To Know
2-(Dimethylamino)ethanol 108-01-0	X
Ammonium hydroxide 1336-21-6	X

California Proposition 65

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects

Canada

Component	NPRI - National Pollutant Release Inventory		
Ethyl 3-ethoxypropionate	Part 4 Substance (as set out in Section 65 of the List of Toxic		
763-69-9	Substances in Schedule 1 of the Canadian Environmental		
	Protection Act, 1999)		
2-(Dimethylamino)ethanol	Part 4 Substance (as set out in Section 65 of the List of Toxic		
108-01-0	Substances in Schedule 1 of the Canadian Environmental		
	Protection Act, 1999)		

16. OTHER INFORMATION					
HMIS:	Health 1	Flammability	Reactivity 0	Personal Protection	

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated to be a Human Carcinogen
OSHA: (Occupational Safety & Health Administration)

X - Present

Revision Date Feb-03-2022

Pursuant to NOM-018-STPS-2015

This information within is considered correct but is not exhaustive and will be used for guidance only, which is based on the current knowledge of the substance or mixture and is applicable to the appropriate safety precautions for the product.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet