

SAFETY DATA SHEET

Issue Date 01-Jun-2015 Revision Date 08-Nov-2017 Version 7

1. IDENTIFICATION

Product identifier

Product Name EF POLY LB MAROON

Other means of identification

Product Code ATHP3033

SynonymsATHP303301, ATHP303303, ATHP303304, ATHP303305, ATHP303307, ATHP303308, ATHP303309, ATHP303310, ATHP303312, ATHP303313, ATHP303314, ATHP303315,

ATHP303316, ATHP303317, ATHP303319, ATHP303320, ATHP303321, ATHP303322,

ATHP303323, ATHP303333, ATHP303335, ATHP303355

Recommended use of the chemical and restrictions on use

Recommended Use Textile ink. Restricted to professional users.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Rutland Group 10021 Rodney Street

Pineville, NC 28134 Tel: 704-553-0046

E-mail address product_safety@rutlandinc.com

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal Category 4

Label elements

Emergency Overview

Warning

Hazard statements

Harmful in contact with skin



Appearance viscous

Physical state liquid

Odor Low

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see .? on this label)

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable

Unknown acute toxicity

85.7% of the mixture has not undergone testing for acute toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
CALCIUM CARBONATE	1317-65-3	5 - 10	*
TITANIUM DIOXIDE	13463-67-7	1 - 5	*
DIPHENYLOXIDE-4 4'-DI-SULFOHYDRAZIDE	80-51-3	1 - 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Inhalation Remove to fresh air.

Ingestion Never give anything by mouth to an unconscious person. Rinse mouth. Drink plenty of

water. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store at temperatures not exceeding 35 °C/95 °F

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
CALCIUM CARBONATE	-	TWA: 15 mg/m³ total dust	TWA: 10 mg/m ³ total dust
1317-65-3		TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m ³ respirable dust
		(vacated) TWA: 15 mg/m ³ total dust	
		(vacated) TWA: 5 mg/m³ respirable	
		fraction	
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m ³
13463-67-7		(vacated) TWA: 10 mg/m ³ total dust	
DIPHENYLOXIDE-4,4'-DI-SULFOH	TWA: 0.1 mg/m ³ inhalable	-	-
YDRAZIDE	particulate matter		
80-51-3			

NIOSH IDLH Immediately Dangerous to Life or Health

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
CALCIUM CARBONATE	TWA: 10 mg/m ³	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³
1317-65-3		TWA: 3 mg/m ³		
		STEL: 20 mg/m ³		
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7		TWA: 3 mg/m ³		
DIPHENYLOXIDE-4,4'-DI-S	=	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	-
ULFOHYDRAZIDE		Adverse reproductive effect		
80-51-3				

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
CALCIUM CARBONATE	-	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³
1317-65-3		STEL: 20 mg/m ³		STEL: 20 mg/m ³
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7		STEL: 20 mg/m ³	_	STEL: 20 mg/m ³
DIPHENYLOXIDE-4,4'-DI-S	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
ULFOHYDRAZIDE		STEL: 0.3 mg/m ³		STEL: 0.3 mg/m ³
80-51-3				

Chemical Name	Ontario OEL	Prince Edward Island	Quebec OEL	Saskatchewan OEL	Yukon OEL
		OEL			
CALCIUM CARBONATE	=	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³	STEL: 20 mg/m ³
1317-65-3				STEL: 20 mg/m ³	TWA: 30 mppcf
				_	TWA: 10 mg/m ³
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	STEL: 20 mg/m ³
13463-67-7			_	STEL: 20 mg/m ³	TWA: 30 mppcf
					TWA: 10 mg/m ³
DIPHENYLOXIDE-4,4'-DI-S	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	=	TWA: 0.1 mg/m ³	-
ULFOHYDRAZIDE				STEL: 0.3 mg/m ³	
80-51-3				_	

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Low

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Odor

Remarks • Method

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid
Appearance viscous
Color colored

Color colored Odor threshold No information available

<u>Property</u> <u>Values</u>

pH 7

Melting point/freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

No information available
232 °C / 450 °F
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure

No information available
No information available

Vapor density >1 Specific Gravity 1.25

Water solubility No information available Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available No information available **Explosive properties** No information available **Oxidizing properties**

Other Information

Softening point No information available Molecular weight No information available

VOC Content 15 g/L

Density

No information available

Bulk density

No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact No data available.

Skin contact No data available.

Ingestion No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE	> 10000 mg/kg (Rat)	-	-
13463-67-7			
DIPHENYLOXIDE-4,4'-DI-SULFOH	= 2300 mg/kg (Rat)	> 200 mg/kg (Rabbit)	-
YDRAZIDE			
80-51-3			

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicityNo information available.
No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
TITANIUM DIOXIDE	-	Group 2B	-	X
13463-67-7		•		

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Target Organ Effects Eyes, Lungs, Respiratory system, Skin.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 10148 mg/kg ATEmix (dermal) 1685 mg/kg

ATEmix (inhalation-gas)
ATEmix (inhalation-dust/mist)
ATEmix (inhalation-vapor)

No information available
No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

90 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO (air) Not regulated

IATA Not regulated

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories On Inventory (Yes/No)

TSCA Yes **DSL/NDSL** Yes **EINECS/ELINCS** Yes **ENCS** Nο **IECSC** Yes **KECL** No **PICCS** No **AICS** No

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PVC HOMOPOLYMER RESIN	X	-	-
9002-86-2			
CALCIUM CARBONATE	X	X	X
1317-65-3			
DIPHENYLOXIDE-4,4'-DI-SULFOH	X	-	-
YDRAZIDE			
80-51-3			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 1 Flammability 1 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection B

Issue Date01-Jun-2015Revision Date08-Nov-2017

Revision Note

SDS sections updated 9

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet